






## ROCKSORTER TECHNICAL SPECS

Model		V3	V5	V8	V10	V12	V15	V20	V30	V35
Excavator size	ton	2 - 4	3 - 6	5 - 10	7 - 12	10 - 15	13 - 18	15 - 25	25 - 35	30 - 40
Hydraulic flow	gpm	5 - 15	5 - 15	10 - 20	10 - 20	10 - 20	10 - 20	10 - 20	20 - 31	20 - 31
Oil pressure (max)	psi	2500 maximum								
Load Volume	yd <sup>3</sup>	0.1	0.27	0.5	0.55	0.81	0.95	1.57	1.57	1.83
Material Output Size	in	~1" - 8"								
Bar Diameter	in	0.8	1	1.2	1.2	1.2	1.2	1.2	1.75	1.75
Bucket Width	in	28	31.5	39	47	47	52	59	59	63
Weight (w/o bracket)	lbs	375	595	1080	1430	1895	2200	3175	3880	4080

\* When at minimum carrier weight, the working range may be limited due to attachment weight



Available in 'S' model with teeth and more robust wear protection.

**Fast, efficient separation of material by size dramatically improves on-site productivity.  
The Rocksorter streamlines sorting and handling, reduces rework and keeps crews moving.**

### **Durability**

Engineered for the demanding conditions of construction and recycling. A simple, robust design delivers dependable performance and long service life with minimal complexity.

### **Cost-Effective Operation**

Lower operating costs compared to traditional star screen buckets. Straightforward maintenance and quick servicing help minimize downtime and keep operating expenses in check.

- Patented, simple direct-drive camshaft oscillates bars to effectively separate material
- Functions like a vibratory skeleton bucket for efficient screening performance

### **Configurations & Screening Options**

The Rocksorter is available with multiple output configurations, allowing screened material sizes from approximately 1 inch up to 8 inches.

The bars are easily added/removed to adjust output size.

Configuration options include:

- Hardox® bar configurations:  
20, 25, 30, 35, and 40 mm diameter bars
- Vertical screening elements for additional material control
- Clip-in mesh screen panels that install directly over the bars, available in  
20, 30, 40, 50, and 60 mm mesh sizes

**This flexibility allows the Rocksorter to be tailored to the job, material, and desired output—without sacrificing efficiency or durability.**



+1 814-466-7134

info@RockzoneAmericas.com

RockzoneAmericas.com

801 Pleasant View Blvd

Bellefonte, PA 16823 USA



**RockZone Americas is part of Exodus Global, a family-owned company based in Superior, Wisconsin**

**BLADECORE**

**CONNECT**  
WORK TOOLS

**OILQUICK**

**ROCKZONE**  
AMERICAS

**SHEARCORE**

May 2026: Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings contained in this document are for illustration only. Please refer to the relevant Operating Manual for instructions on the proper use of this equipment. Failure to adhere to the appropriate Operating Manual when using our products or otherwise negligent behavior can result in serious injury or death. The standard written warranty is the only warranty that applies to our products. Rokla GmbH provides no further warranty, either expressly nor implied.

© RockZone Americas 2026